

## AVLink 4:3 Monitor




46.6inch 981\*744\*46

44.6inch 942\*716\*46

29.4inch 632\*482\*48

23.5inch 499\*405\*45



### Highlights

Aspect ratio: 4:3





LED Backlight Panel

HDMI input or Android or Windows operating system

300nits ~500nits brightness

178 degree wide angle view

### Cases





AVLink 4:3 Monitor

Specifications

TFT Panel

Model No.	AVL-ID235S	AVL-ID294S	AVL-ID446S	AVL-ID466S
Panel size	23.5inch	29.4inch	44.6inch	46.6inch
Display area(mm)/mode	467*373	598*448	906*680	947*701
Maximum resolution	1900*1520	1900*1425	2880*2160	1920*1440
Aspect ratio	1:1			
Display color	16.7M			
Brightness (nits)	300cd/ m²			
Contrast	1000:1			
Visual angle	178°/178°			
Response time	6ms			
Life(hrs)	>60,000(hrs)			
Interface	HDMI input			
Touch	Optional			

Operating system(optional)

System	Android 9.0
RAM	2G
ROM	16G
Interface	RJ-45, USB

Appearance

Color/appearance	Black or white			
Monitor dimension(mm)	499*405*45	632*482*48	942*716*46	981*744
Package dimension(mm)	10	20	30	32
Case	Metal enclosure			
Installation	Wall-mounted			

Electricity

Power supply	AC100~240V 50 /60 HZ			
Maximum power consumption	<50W	<60W	<80W	<100W
Power termination	Integrated circuit breaker			
Speaker	2*5W			

Temperature

Working temperature	0°C ~ 40°C
Storage temperature	-10°C~60°C
Working humidity	85%
Storage humidity	85%

Information

Terms	Unit Price ( EXW Shenzhen )			
Unit price	US\$518.00	US\$806.00	US\$999.00	US\$1646.00
Sample lead time	7-10 working days			
Payment term	50% deposit, 50% balance before shipment			
Warranty	1 year free warranty, lifelong technical support			
Certification	CE, FCC, RoHS			
Price validation	One Month			




AVLink 4:3 Monitor

Drawing

23.5inch

29.4inch



44.6inch

46.6inch

